

**INFORMATION ON SERVICE FACILITIES,  
TO WHICH THE SE NRIC PROVIDES ACCESS**

**TABLE OF CONTENTS**

<b>Dredging Fleet- Istar” PLC – Port Terminal Svishtov.....</b>	<b>3</b>
<b>Bulgarian River Shipping J.S.Co., the town of Ruse .....</b>	<b>7</b>
<b>Express Service Ltd.....</b>	<b>8</b>
<b>Port Terminal S OOD, Somovit port.....</b>	<b>14</b>
<b>Port of Varna EAD /Port Varna Zapad/ .....</b>	<b>16</b>
<b>Port of Varna EAD /East Port Varna/ .....</b>	<b>17</b>
<b>Port of Burgas EAD .....</b>	<b>18</b>
<b>Port Invest Ltd, Ruse .....</b>	<b>22</b>
<b>Port Complex Ruse JS Co. ....</b>	<b>23</b>
<b>BDZ Cargo EOOD .....</b>	<b>24</b>
<b>Transport Construction and Rehabilitation EAD .....</b>	<b>25</b>
<b>Gas Trade AD .....</b>	<b>26</b>
<b>Terminals EAD .....</b>	<b>27</b>
<b>TBD - TOVARNI PREVOZI EAD.....</b>	<b>28</b>
<b>Vagonen Zavod - Intercom AD.....</b>	<b>32</b>
<b>Port Rail OOD .....</b>	<b>39</b>
<b>Port terminal Petrol, port of Varna.....</b>	<b>40</b>
<b>Port terminal Ruse-Zapad, port of Ruse.....</b>	<b>41</b>
<b>Port terminal “Ferryboat complex-Varna”, port of Varna .....</b>	<b>42</b>
<b>Railway Station - Plovdiv OOD - Central Railway Station - the town of Plovdiv .....</b>	<b>43</b>
<b>BMF Port Burgas EAD.....</b>	<b>44</b>

<b>Vagonoremonten Zavod “Han Krum” AD.....</b>	<b>45</b>
<b>Railway - Traction Ltd., Sofia.....</b>	<b>49</b>
<b>Traktsia JSC, the village of Samuil .....</b>	<b>52</b>
<b>Metalimpex 2003 EOOD.....</b>	<b>57</b>
<b>DB Cargo Bulgaria EOOD .....</b>	<b>62</b>

**Information about railway  
service facilities  
of operator**

**Dredging Fleet- Istar” PLC – Port Terminal Svishtov**

**VERSION CONTROL**

<b>Version</b>	<b>Date of the version</b>	<b>Description of the change</b>
<b>0</b>	September 28, 2018	Publication of the document

**TABLE OF CONTENTS**

<b>1. GENERAL INFORMATION</b>	.....	<b>3</b>
1.1 Introduction	.....	3
1.2 Service facility operator	.....	3
1.3 Period of validity and updating process	.....	3
<b>2. SERVICES</b>	.....	<b>3</b>
<b>3. DESCRIPTION OF THE SERVICE FACILITY</b>	.....	<b>3</b>
<b>4. CHARGES</b>	.....	<b>5</b>
<b>5. ACCESS CONDITIONS</b>	.....	<b>5</b>
<b>6. CAPACITY ALLOCATION</b>	.....	<b>5</b>

## 1. GENERAL INFORMATION

### 1.1 Introduction

Dredging Istar PLC - a concessionaire of Port Terminal Svishtov, has prepared this document for a service facilities pursuant to Regulation (EC) 2017/2177.

Port Terminal Svishtov, part of the Port for Public Transport with National Importance Ruse, pursuant to Directive 2012/34, Annex II, is a domestic port facility related to some railway operations.

### 1.2 Service Facility Operator

The domestic port facility, related to the railway operations of Port Terminal Svishtov is designated for transport handling of the freights and for shunting operation as well.

Operator of the service facility pursuant to Concession contract Lot N D – 00352 in the National Concession Register is Dredging Fleet “Istar” PLC with an address: the town of Svishtov 12, Dunav Str., phone 0631 60339, fax 0631 60341, e-mail: dfistar@abv.bg.

This document for service facility is published [www.portsvishtov.com](http://www.portsvishtov.com)

### 1.3 Period of validity and updating process

**This document is updated, if needed.**

## 2. SERVICES

Use of the railway infrastructure including any switches and railway junctions.

Provision of access to the service facilities of the freight terminals and domestic port facilities related to the railway facilities.

Ancillary and auxiliary services according to Annex II - services provided to railway undertakings are not offered in the Svishtov Port Terminal.

## 3. DESCRIPTION OF THE SERVICE FACILITY

### 3.1 List of all installations

Port Terminal Svishtov, part of Port for Public Transport with National Importance Ruse.

3.2 Port Terminal Svishtov, part of Port for Public Transport with National Importance Ruse

#### 3.2.1 Location

**PORT TERMINAL SVISHTOV** is located on the right bank of the river Danube at the most southern point of the river (43° and 37' north latitude) - at 554 km from the mouth of the river Danube and on the 1,825<sup>th</sup> km of the Regensburg port.

In Svishtov, the river Danube enters the Danube valley and creates the conditions for direct connection from the river Danube through the passages in Stara Planina Mountain with the valley of the river Maritsa and the Aegean sea. The transport importance of the town facilitates the options for import and export from Sofia and the whole North and South Central Bulgaria.

The connection of Port Terminal Svishtov with the Republican Road Network is made as follows:

- through Danube Str., Prof. Buchvarov Str.; 33<sup>rd</sup> Svishtovski Polk Str. to Ruse and Byala;

- through Danube Str., Prof. Buchvarov Str.; 33<sup>rd</sup> Svishtovski Polk Str. Studentska Str., Patriarh Evtimiy Str. to Pavlikeni and Veliko Tarnovo;

- through Danube str., Omurtag sq.; Otets Paisiy Str. to Pleven and Sofia;

The importance of the port is extended in connection with the European transport corridors. The international port of Svishtov is located on Pan-European corridor VII (Rhine–Main–Danube). It is located next to transport corridors N8 and N9 (about 45 km away) and Hemus highway ( 56 km away from its designed route ) and 40 - 50 km away from the town of Alexandria (Romania), which has an exit to the main road on the part of Bucharest - Timishoara - Arad - part of international infrastructure corridors.

By railway connection with Svishtov station the port terminal is connected with the national railway network.

### 3.2.2 Opening hours

Working time of the installation.

- Monday – Sunday 08:00-19:00
- during official holidays – upon submitted request

### 3.2.3 Technical characteristics

Port Terminal Svishtov has the following tracks available:

- loading-unloading:
  - I<sup>st</sup> Danube berth track and East berth track of 145 m useful length. The track is serviced by 3 overhead crane models: Albatros, Albreht, GANZ type.
  - II<sup>nd</sup> Danube track East berth of 180 m useful length. The track is serviced by 3 overhead cranes models: Albatros, Albreht, GANZ type.
  - I<sup>st</sup> Danube track Central berth of 275 m useful length. The track is serviced by 4 overhead cranes GANZ type.
  - II<sup>nd</sup> Danube track Central berth of 425 m useful length. The track is serviced by 4 overhead cranes GANZ type.
  - Ist Danube track Zapad berth track of 225 m useful length. The track is serviced by 4 overhead cranes models: Kirovets 5 t, Albatros, Kirovets 16/ 20t”, type 1069.
  - II<sup>nd</sup> Danube track Zapad berth of 220 m useful length. The track is serviced by 4 overhead cranes models: Kirovets 5 t, Albatros, Kirovets 16/ 20 t”, type 1069.
  - I<sup>st</sup> Urban track of 170 useful length.
  - II<sup>nd</sup> Urban track of 240 m useful length.

- scale track and railway scale.

Port Terminal Svishtov does not have a railway scale.

- technical equipment for washing

Port Terminal Svishtov does not have washing technical equipment.

- technical equipment for maintenance

Port Terminal Svishtov does not have maintenance technical equipment.

- storage area

Port Terminal Svishtov has 21,300 m<sup>2</sup> outdoor and 4,100 m<sup>2</sup> indoor storage facility.

**The tracks are owned by SE Port Infrastructure**

### 3.2.4 Scheduled changes of the technical characteristics

**No technical changes of the technical characteristics are foreseen**

## 4. CHARGES

### 4.1 Information about charges

Information about the charges will be received upon request via e-mail.

[office@portsvishtov.bg](mailto:office@portsvishtov.bg)

#### 4.2 Information about discounts

Information about discounts may be received upon request via e-mail.  
[office@portsvishtov.bg](mailto:office@portsvishtov.bg)

### **5. ACCESS CONDITIONS**

#### 5.1 Legal requirements

#### 5.2 Technical conditions

Port Terminal Svishtov is with non-electrified railway infrastructure and is serviced with locomotives with diesel traction.

Railway tracks and switches are with 1435 mm track gauge.

Permissible axle load for the railway tracks and switches in Port Terminal Svishtov is 22 t/axis.

The structure gauge of the railway tracks in the terminal region is 1-CM1.

#### 5.3 Self-provision of railway-related services

#### 5.4 IT system

### **6. CAPACITY ALLOCATION**

#### 6.1 Requests for access or services

The applicant sends its request to the dispatchers to e-mail: [office@portsvishtov.bg](mailto:office@portsvishtov.bg)

#### 6.2 Answer to the requests

Answers to the requests are received to e-mail: [office@portsvishtov.bg](mailto:office@portsvishtov.bg).

#### 6.3 Information about the available capacity and temporary capacity restrictions

No capacity restrictions of the service facilities are foreseen and it only happens in case of their planned rehabilitation.

**Information about railway  
service facilities  
of operator  
Bulgarian River Shipping J.S.Co., the town of Ruse**

This document for a service facility is published at:

[http://www.brp.bg/vidin/doc/OS\\_2018.pdf](http://www.brp.bg/vidin/doc/OS_2018.pdf).

**Information about railway  
service facilities  
of operator  
Express Service Ltd**

**Common Template for Service  
Facilities**

Chapter No	Heading	Implementation guide	Suggested text
	Version control	All previous versions of this information should be identified, together with a short description of the changes.	V 1.0. / 15.09.2018
	Table of contents	Content of the chapters and items of the document.	
<b>1. General information</b>			
1.1	Introduction	<ul style="list-style-type: none"> <li>• Explain the purpose of this document</li> <li>• Identify the SF name and type according to Directive 2012/34, Annex II</li> <li>• Give a brief presentation of the SF.</li> <li>• State where the document is published</li> </ul>	<p>Express Service Ltd. has prepared this document about a service facility pursuant to Regulation (EC) 2017/2177</p> <p>The locomotive factory Express Service OOD is a facility for maintenance and heavy maintenance designed for rolling stock, requiring some special facilities.</p> <p>The locomotive factory of Express Service Ltd. In Ruse is a facility for maintenance and heavy maintenance for locomotives, EMUs, DMUs and rail self-propelled machines for railway maintenance (OTMs). It was established in 1866 and it is a traditional leader in the field of complicated maintenance of locomotives.</p> <p>Currently, the factory executes maintenance and heavy maintenance - repairs - of all types of electrical and diesel locomotives in Bulgaria.</p> <p>This document for a service facility is published on <a href="http://www.rail-infra.bg">www.rail-infra.bg</a></p>

Chapter No	Heading	Implementation guide	Suggested text
1.2	Service Facility operator	<ul style="list-style-type: none"> <li>Name, address and contact details of all SF operators (b)</li> <li>If the SF is operated by more than one operator or where rail-related services are provided by more than one operator, an indication shall be given as to whether separate requests for access to the facilities and for those services need to be submitted (g)*</li> </ul>	Express Service OOD DZS, Ruse 7011, e-mail <a href="mailto:info@lz1866.com">info@lz1866.com</a> , tel. 0887412838.
1.3	Validity period and updating process	<ul style="list-style-type: none"> <li>State the dates of the period of validity of the SF document</li> <li>Describe how the SF document is updated</li> </ul>	This document is updated, if needed
<b>2. Services</b>			
2.1	Name of service	<ul style="list-style-type: none"> <li>Description of all rail-related services, which are supplied in the SF, and their type (basic, additional or ancillary) (d). See also Annex II of Directive 2012/34/EU</li> <li><i>Alternatively, publish a link to a website which provides all relevant information</i></li> <li>X refers to the number of provided services</li> </ul>	Ancillary services - technical inspection of the rolling stock and heavy maintenance services, provided in the maintenance facilities, designed for high speed trains or other rolling stock types, requiring special facilities.
<b>3. Description of the Service Facility</b>			
3.1	List of all installations	<ul style="list-style-type: none"> <li>Where relevant, the list of all installations in which rail-related services are supplied (a)</li> </ul> <p>[Note: If it is possible to integrate all information of the subchapters of 3 3.X into a single table inside in 3.1 (each line corresponding to an installation and the different columns referring to 'Location', 'Opening hours', 'Technical characteristics' and 'Planned changes in technical characteristics'), then the inclusion of</p>	<ul style="list-style-type: none"> <li>This SF consists of only one installation.</li> </ul>

Chapter No	Heading	Implementation guide	Suggested text
		subchapters 3 3.X shall not be necessary]	
3.2	Name of installation X	<ul style="list-style-type: none"> <li>X is a placeholder, so the chapters per installation can be numbered in a consistent way.</li> <li>If the SF has only one installation, the chapter numbering will end with 3.2.4. If the SF has two installations, the chapter numbering will end with 3.3.4.</li> </ul>	
3.2.1	Location	<ul style="list-style-type: none"> <li>Installation location</li> </ul>	Examples: <ul style="list-style-type: none"> <li>43°47'38 N / 26°01'47 E</li> <li>Obraztsov Chiflik station</li> </ul>
3.2.2	Opening hours	<ul style="list-style-type: none"> <li>Working time of the installation</li> </ul>	<ul style="list-style-type: none"> <li>Opening hours               <ul style="list-style-type: none"> <li>Monday - Friday</li> </ul> </li> </ul>
3.2.3	Technical characteristics	<ul style="list-style-type: none"> <li>Where relevant, a description of the technical characteristics of the installation</li> </ul>	<ul style="list-style-type: none"> <li>8 tracks of 3000 m total length</li> <li>10 000 m<sup>2</sup> developed built-up area</li> <li>Maintenance ducts for locomotive maintenance</li> <li>Technological areas for different levels of rolling stock maintenance</li> </ul>
3.2.4	Planned changes in technical characteristics	<ul style="list-style-type: none"> <li>Information about changes in technical characteristics and temporary capacity restrictions of the service facility, which could have a major impact on the service facility's operation, including planned works;</li> </ul>	No changes of the technical characteristics are planned
<b>4. Charges</b>			
4.1	Information about charges	<ul style="list-style-type: none"> <li>Information about charges for getting access to SFs and charges for the use of each rail-related service supplied therein (m)</li> </ul>	The access to the Locomotive Factory of Express Service OOD is free of charge

Chapter No	Heading	Implementation guide	Suggested text
4.2	Information about discounts *	<ul style="list-style-type: none"> <li>Information about principles of discount schemes offered to applicants, while respecting commercial confidentiality requirements (n)*</li> </ul>	All loyal clients of the factory are given certain discounts, as well as some legal entities with a concluded contract for rolling stock maintenance.
<b>5. Access Conditions</b>			
5.1	Legal requirements	<ul style="list-style-type: none"> <li>Information stating whether a contract, certificates or insurance are necessary</li> <li>Model access contracts and general terms and conditions (at least in the case of SFs operated and rail-related services provided by operators under the direct or indirect control of a controlling entity) (i)*</li> </ul>	A contract for access to the Locomotive factory is required (verbal or written)
5.2	Technical conditions	<ul style="list-style-type: none"> <li>Where relevant, description of technical conditions to be satisfied by the rolling stock entering the SF</li> </ul>	Rolling stock within the gauges specified in UIC505 is allowed to enter the factory
5.3	Self-supply of rail-related services*	<ul style="list-style-type: none"> <li>Information about the possibility for self-supply of rail-related services and conditions applying thereto (e)*</li> </ul>	
5.4	IT system	<ul style="list-style-type: none"> <li>Where relevant, information on the terms of use of the operator's IT systems, if applicants are required to use such systems, and the rules concerning the protection of sensitive and commercial data;</li> </ul>	
<b>6. Capacity Allocation</b>			
6.1	Requests for access or services*	<ul style="list-style-type: none"> <li><input type="checkbox"/> Information about procedures for requesting access to the SF or services supplied in the SF, or both, including deadlines for submitting requests, and time limits for handling those requests (f)* and (Article 8)*</li> <li><input type="checkbox"/> In SFs operated by more than one operator or where rail-related services are provided by more</li> </ul>	<p>Request for access is made both in writing (via e-mail or by a letter) and oral (via phone or in situ). The minimal required content of each request for service of a tolling stock unit is:</p> <ul style="list-style-type: none"> <li>- Rolling stock user;</li> <li>- Rolling stock owner;</li> <li>- Rolling stock type and number;</li> </ul>

Chapter No	Heading	Implementation guide	Suggested text
		<p>than one operator, an indication shall be given as to whether separate requests for access to the facilities and for those services need to be submitted (g)*</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Information about the minimum content and format of a request for access to the SF and rail-related services or a template for such a request (h)*</li> </ul>	<p>- Scope of the requested service;</p>
6.2	Response to the requests	<ul style="list-style-type: none"> <li><input type="checkbox"/> Description of the response to requests (Article 9)*</li> <li><input type="checkbox"/> A description of the coordination procedure and regulatory measures referred to in Article 10 and priority criteria referred to in Article 11 (k)</li> </ul>	<p>The response to the request could be written or oral and provided up to 3 days after the submission of request.</p> <p>Requests of the applicants concluded contracts for maintenance of the rolling stock with Express Service OOD are executed with priority. Requests for maintenance of the own locomotives of Express Service OOD are executed with priority.</p>
6.3	Information about the available capacity and temporary capacity restrictions	<ul style="list-style-type: none"> <li>• Information about the temporary capacity restrictions of the SF, which could have a major impact on the SF's operation, including planned works (l)*</li> </ul>	

**Information about railway  
service facilities  
of operator  
OCTOPOD-S OOD, Somovit port**

**Common Template for Service  
Facilities**

Chapter No	Heading		Information about the service facility
	Version control		
	Table of contents		
<b>1. General information</b>			
1.1	Introduction	<ul style="list-style-type: none"> <li>Port Terminal Somovit</li> </ul>	
1.2	Service Facility operator	<ul style="list-style-type: none"> <li>Ilko Ninov</li> <li>00359 887205907</li> <li>trade@octopod.eu</li> </ul>	
1.3	Validity period and updating process	2018 Updated annually	<ul style="list-style-type: none"> <li><i>Updated annually</i></li> </ul>
<b>2. Services</b>			
2	Name of service	<ul style="list-style-type: none"> <li>The port terminal has an operating railway track and could process freight wagons</li> </ul>	
<b>3. Description of the Service Facility</b>			
3	Opening hours	<ul style="list-style-type: none"> <li>Monday - Friday</li> </ul>	Opening hours - upon customer's request

**Information about railway  
service facilities  
of operator**

**Port of Varna EAD /Varna West Port/**

This document for a service facility is published at:  
<http://port-varna.bg/bg/Clients/Documents>.

**Information about railway  
service facilities  
of operator**

**Port of Varna EAD /Varna East Port/**

This document for a service facility is published at:

<http://port-varna.bg/bg/Clients/Documents>.

**Information about railway  
service facilities  
of operator  
Port of Burgas EAD**

Chapter No	Heading	Description	
	Version control	Initial version	
	Table of contents	General information 1. Services 2. Description of the Service Facility 3. Charges 4. Access Conditions 5. Capacity Allocation	
<b>1. General information</b>			
1.1	Introduction	Port of Burgas EAD has prepared this document for a service facility pursuant to Regulation (EC) 2017/2177. The railway infrastructure on the territory of the Port of Burgas EAD services the sea and inland port facilities related to the railway operations pursuant to Directive 2012/34, Annex II) The railway infrastructure on the territory of the Port of Burgas EAD includes: - Industrial tracks of 8100m length. - Railway platforms of 419m length	
1.2	Service Facility operator	Port of Burgas EAD Str., 1, Knyaz Batenberg phone: (056) 822 222 fax: (056) 822 156 <a href="mailto:headoffice@port-burgas.com">headoffice@port-burgas.com</a>	
1.3	Validity period and updating process	This document is updated annually during the publishing of the Network Statement, besides the changes of its content do not require any extra updates	
<b>2. Services</b>			
2.1	Name of service	<a href="http://port-burgas.bg/uslugi-i-ceni">http://port-burgas.bg/uslugi-i-ceni</a> - link to the website, providing the whole needed information to all railway-related services and prices on the territory of the Port of Burgas EAD	

Chapter No	Heading	Description	
<b>3. Description of the Service Facility</b>			
3.1	List of all installations	- This service facility includes only one installation and covers 8100m industrial tracks and 419m railway platforms.	
3.2	Name of installation	The railway infrastructure on the territory of the Port of Burgas EAD	
3.2.1	Location	<a href="http://port-burgas.bg/kontakti">http://port-burgas.bg/kontakti</a> GPS coordinates: 42° 29'N 027° 29'E	
3.2.2	Opening hours	<ul style="list-style-type: none"> <li>• Opening hours</li> <li>- Monday – Sunday from 06:00 to 22:00</li> <li>- 24 hours, if needed</li> </ul>	
3.2.3	Technical characteristics	<input type="checkbox"/> Technical parameters Industrial tracks /non-electrified/ of 8100m length Railway platforms of 419m length <input type="checkbox"/> Technical equipment for loading and unloading: see <a href="http://port-burgas.bg/terminal-iztok">http://port-burgas.bg/terminal-iztok</a> <input type="checkbox"/> Storage area (sq.m. ) - 50 000 sq.m. outdoor storage areas and 35 000 sq.m. indoor storage areas	
3.2.4	Planned changes in technical characteristics	No changes of the technical characteristics of the facilities are foreseen	
<b>4. Charges</b>			
4.1	Information about charges	<a href="http://port-burgas.bg/uslugi-i-ceni">http://port-burgas.bg/uslugi-i-ceni</a> - link to the website, providing the whole needed information to all railway related services and prices on the territory of the Port of Burgas EAD	
4.2	Information about discounts *	Information about principles of discount schemes offered to applicants, while respecting commercial confidentiality requirements can be obtained from at - <a href="http://port-burgas.bg/kontakti">http://port-burgas.bg/kontakti</a>	
<b>5. Access Conditions</b>			
5.1	Legal requirements	<ul style="list-style-type: none"> <li>• According to the Services and Prices of the Port of Burgas EAD for the respective year - <a href="http://port-burgas.bg/uslugi-i-ceni">http://port-burgas.bg/uslugi-i-ceni</a></li> </ul>	

Chapter No	Heading	Description	
5.2	Technical conditions	<ul style="list-style-type: none"> <li>• There is no restriction of the maximal train length, gauge and weight</li> <li>• All industrial tracks and ramps are not electrified</li> </ul>	
5.3	Self-supply of rail-related services*	<a href="http://port-burgas.bg/uslugi-i-ceni">http://port-burgas.bg/uslugi-i-ceni</a> - link to the website, providing the whole needed information to all railway related services and prices on the territory of the Port of Burgas EAD	
5.4	IT system	<ul style="list-style-type: none"> <li>• The applicants are not obliged to use IT systems of the operator</li> <li>• Rules on the protection of sensible and commercial data are published at <a href="http://port-burgas.bg/zashtita-na-lichnite-dannigdpr">http://port-burgas.bg/zashtita-na-lichnite-dannigdpr</a></li> </ul>	
<b>6. Capacity Allocation</b>			
6.1	Requests for access or services*	<input type="checkbox"/> Information about procedures for requesting access to the SF or services supplied in the SF, or both, including deadlines for submitting requests, and time limits for handling those requests - <a href="mailto:headoffice@port-burgas.com">headoffice@port-burgas.com</a> <input type="checkbox"/> Information about the minimum necessary content and format of requests for access to the SF and rail-related services - <a href="mailto:headoffice@port-burgas.com">headoffice@port-burgas.com</a>	
6.2	Response to the requests	<a href="http://port-burgas.bg/kontakti">http://port-burgas.bg/kontakti</a> и <a href="mailto:headoffice@port-burgas.com">headoffice@port-burgas.com</a>	
6.3	Information about the available capacity and temporary capacity restrictions	Information about changes of the technical characteristics and on temporary capacity restrictions of the SF can be received at <a href="http://port-burgas.bg/kontakti">http://port-burgas.bg/kontakti</a> и <a href="mailto:headoffice@port-burgas.com">headoffice@port-burgas.com</a>	

**Information about railway  
service facilities  
of operator  
Port Invest Ltd, Ruse**

This document for a service facility is published at:  
[http://www.portinvest.bg/documents/OS\\_2018.pdf](http://www.portinvest.bg/documents/OS_2018.pdf)

**Information about railway  
service facilities  
of operator  
Port Complex Ruse JS Co.**

This document for a service facility is published at:

[https://port-ruse-bg.com/editor/files/info\\_obs\\_sr.pdf](https://port-ruse-bg.com/editor/files/info_obs_sr.pdf)

**Information about railway  
service facilities  
of operator  
BDZ Cargo EOOD**

This document for a service facility is published at:

<http://bdzcargo.bdz.bg/bg/polezno/category-jelezoputni-suorujenija.html>.

**Information about railway  
service facilities  
of operator**

**Transport Construction and Rehabilitation EAD**

Transport Construction and Rehabilitation EAD does not provide any services in service facilities.

**Information about railway  
service facilities  
of operator  
Gas Trade AD**

Service facilities owned by Gas Trade AD in branches in Kostinbrod, Gorna Oryahovitsa, Asenovgrad and Beloslav are not subject to Regulation (EU) 2017/2177 on service facilities

**Information about railway  
service facilities  
of operator  
Terminals EAD**

This document for a service facility is published at:

<http://terminali.bg/uslugi-imt-plovdiv/>.

**Information about railway  
service facilities  
of operator**

**TBD - TOVARNI PREVOZI EAD**

This document for a service facility is published at:

<https://tbd-tp.bg/>

<b>Common Template for Service Facilities</b>		
<b>Chapter No</b>	<b>Heading</b>	<b>Information about the service facility</b>
	<b>Version control</b>	<b>There are no previous versions of this information.</b>
	<b>Table of contents</b>	
<b>1. General information</b>		
1.1	Introduction	TBD - Tovarni Prevozi EAD has prepared this document for service facilities pursuant to Regulation (EC) No 2017/2177. Service facilities are maintenance facilities as defined in item 2e of Annex 2 to Directive 2012/34. Service facilities: Locomotive Maintenance and Repair Workshop - Pernik; Wagon Repair Workshop - Pernik and Locomotive and Wagon Maintenance and Repair Workshop - Dimitrovgrad are designed for the repair and maintenance of electric and diesel locomotives and wagons. They are located in the town of Pernik and in the town of Dimitrovgrad. This document is published on <a href="https://tbd-tp.bg/">https://tbd-tp.bg/</a>
1.2	Service Facility operator	TBD - TOVARNI PREVOZI EAD 1, Saint Ivan Rilski No 1 Pernik; Pernik; post code: 2300 E-mail: <b>office@tbd-tp.bg</b> <b><a href="https://tbd-tp.bg/">https://tbd-tp.bg/</a></b> phone: +359 76 602 840
1.3	Validity period and updating process	This document will be updated as necessary.
<b>2. Services</b>		
2	Name of service	Technical inspection and maintenance of rolling stock. Carrying out maintenance of electric locomotives series: 43.00, 44.00 and 46.00 — technical maintenance (TM), interim scheduled repairs (ISR), scheduled repairs (SR) and annual scheduled repairs (ASR). Carrying out maintenance of diesel locomotives series: 06.00, 52.00 and 55.00 — technical maintenance (TM), interim scheduled repairs (ISR), scheduled repairs (SR). Maintenance of freight wagons – first and second level.

<b>3. Description of the Service Facility</b>		
3.1	Name of installation	Workshop for maintenance and repair of locomotives WMRL-Pernik
3.1.1	Location	The town of Pernik – Central Enrichment Factory To the station of Pernik Razpreditelna 42o36'28" N 23o04'15"E
3.1.2	Opening hours	Monday - Sunday
3.1.3	Technical characteristics	Two tracks with a total useful length of 106 m. Maintenance ducts for locomotive maintenance. Technological areas for different levels of traction rolling stock maintenance. Stationary device for weight balancing of locomotive series: 06; 07; 46; 43; 44; 45; 52; 55 and others on bogies, which provides an opportunity to measure the vertical static load in the wheels of locomotives and balance their spring system.
3.2	Name of installation	Wagon repair workshop WRW-Pernik
3.2.1	Location	The town of Pernik – Central Enrichment Factory To the station of Pernik Razpreditelna 42o36'28" N 23o04'15"E
3.2.2	Opening hours	Monday - Sunday
3.2.3	Technical characteristics	Two tracks with a total useful length of 60 m. Maintenance ducts for wagon maintenance. Technological areas for different levels of rolling stock maintenance.
3.3	Name of installation	Workshop for maintenance and repair of locomotives and wagons Dimitrovgrad
3.3.1.	Location	The town of Dimitrovgrad "TPP MARITZA 3" To the railway station Dimitrovgrad 42°03'11"N 25°37'31"E
3.3.2	Opening hours	Monday - Sunday
3.3.3	Technical characteristics	One track with useful length of 30 meters. Maintenance channel for locomotive maintenance. Technological areas for different levels of rolling stock maintenance.
3.1.4	Planned changes in technical characteristics	No changes of the technical characteristics are planned
3.2.4	Planned changes in technical characteristics	No changes of the technical characteristics are planned
3.3.4	Planned changes in technical characteristics	No changes of the technical characteristics are planned

<b>4. Charges</b>		
4.1	Information about charges	According to the tariff of “TBD - Tovarni Prevozi” EAD
4.2	Information about discounts *	According to the agreed relations
<b>5. Access Conditions</b>		
5.1	Legal requirements	A contract is needed
5.2	Technical conditions	The shunting activity at the industrial railway branch is carried out by a shunting engine and the company’s shunting brigade.
5.3	Self-supply of rail-related services*	None
5.4	IT system	None
<b>6. Capacity Allocation</b>		
6.1	Requests for access or services*	Request for access is made both in writing (via e-mail or by a letter) and oral (via phone or in situ) or with 100% advance payment.
6.2	Response to the requests	The response to the request could be written or oral and provided up to 3 days after the submission of request
6.3	Information about the available capacity and temporary capacity restrictions	None

**Information about railway  
service facilities  
of operator**

**Vagonen Zavod - Intercom AD**

This document for a service facility is published at:

<https://vz-intercom.com/>

Common template for service facilities			
N o.	Heading	Implementation guide	Implementation guide
	Version control	All previous versions of this information should be identified, together with a short description of the changes	Publication of the document
	Table of contents	Content of the chapters and items of the document	
1. General information			
1.1	Introduction	<ul style="list-style-type: none"> <li>• Explain the purpose of this document</li> <li>• Identify the SF name and type according to Directive 2012/34, Annex II</li> <li>• Give a brief presentation of the SF.</li> <li>• State where the document is published.</li> </ul>	<p>Vagonen Zavod - Intercom AD produced this SF document as required by EC Implementing Regulation 2017/2177.</p> <p>Vagonen Zavod - Intercom AD is a facility for maintenance of:</p> <ul style="list-style-type: none"> <li>- Compartment passenger cars - Am, Bm</li> <li>- Passenger cars with intermediate corridor - Amp, Byz</li> <li>- Passenger cars for the transport of disabled people and bicycles</li> <li>- Abbds, Bbds</li> <li>- Passenger cars with intermediate corridor, with seats for disabled persons - Bhmpz</li> <li>- Couchet cars - Bcme</li> <li>- Restaurant / buffet cars - WR / BR</li> <li>- Bistros - ARKimbz</li> <li>- Sleeping cars - WLAB</li> <li>- Vans - DLm</li> <li>- Saloon cars and special cars - S, intended for RUs</li> </ul>

--	--	--	--

			It was founded in 1920 and is a leader in the area of production, maintenance – repair and recycling of passenger and freight wagons. Currently the factory executes repairs and maintenance of all types of passenger cars and freight wagons in Bulgaria. This document for a service facility is published on <a href="http://www.rail-infra.bg">www.rail-infra.bg</a> .
2. 1	Service Facility operator.	<ul style="list-style-type: none"> <li>• Name, address and contact details of all SF operators (b).</li> <li>• If the SF is operated by more than one operator or where rail-related services are provided by more than one operator, an indication shall be given as to whether separate requests for access to the facilities and for those services need</li> </ul>	VAGONEN ZAVOD – INTERCOM, the town of 5370, Dryanovo, 4, Shipka Str., e-mail: <a href="mailto:yzintercom@mail.bg">yzintercom@mail.bg</a> , tel. 0676 72 474

		to be submitted (g)*	
1. 3	Validity period and updating process.	<ul style="list-style-type: none"> <li>• State the dates of the period of validity of the SF document.</li> <li>• Describe how the SF document is updated.</li> </ul>	This document is updated, if needed.
		<b>2. Services</b>	
2. 1	Name of service.	<ul style="list-style-type: none"> <li>• Description of all rail-related services, which are supplied in the SF, and their type (basic, additional or ancillary) (d). See also Annex II of Directive 2012/34/EU.</li> <li>• Alternatively, publish a link to a website which provides all relevant information.</li> <li>• X refers to the number of provided services.</li> </ul>	<a href="http://vz-intercom.com">http://vz-intercom.com</a> – link to the website, providing the whole needed information to all railway-related services on the territory of the Vagonen Zavod – Intercom AD_ the town of Dryanovo

		<b>3. SERVICE FACILITY DESCRIPTION</b>	
3.1	List of all installations.	<ul style="list-style-type: none"> <li>Where relevant, the list of all installations in which rail-related services are supplied (a). (Note: If it is possible to integrate all information of the subchapters of 3 3.X into a single table inside in 3.1 (each line corresponding to an installation and the different columns referring to ‘Location’, ‘Opening hours’, ‘Technical characteristics’ and ‘Planned changes in technical characteristics’), then the inclusion of subchapters 3 3. X).</li> </ul>	This service facility consists of only one installation and covers 2,486 meters of industrial tracks.
3.2	Name of installation N	<ul style="list-style-type: none"> <li>X is a placeholder, so the chapters per installation can be numbered in a consistent way.</li> <li>If the SF has only one installation, the chapter numbering will end with 3.2.4. If the SF has two installations, the chapter numbering will end with 3.3.4.</li> </ul>	Railway infrastructure of Vagonen Zavod – Intercom AD the town of Dryanovo
3.2.1	Location	<ul style="list-style-type: none"> <li>Installation location</li> </ul>	The connection with the Republican Road Network is performed with a switch on open route (SOR) - 80 at km. <sup>155+800</sup> GPS coordinates 42° 58'17 N/25°28'34 E Dryanovo railway station
3.2.2	Opening hours	<ul style="list-style-type: none"> <li>Working time of the installation.</li> </ul>	Opening hours - Monday - Friday.
3.2.3	Technical characteristics	<ul style="list-style-type: none"> <li>Where relevant, a description of the</li> </ul>	Seven shunting tracks with a total length of 2,486 m. Maintenance ducts for wagon maintenance. Technological

		technical characteristics of the installation.	areas for different levels of rolling stock maintenance.
3.2.4	Planned changes in technical characteristics.	<ul style="list-style-type: none"> <li>Information on changes in technical characteristics and temporary capacity restrictions of the service facility, which could have a major impact on the service facility's operation, including planned works.</li> </ul>	No changes of the technical characteristics of the facilities are foreseen

4. Charges			
4.1	Information on charges.	<ul style="list-style-type: none"> <li>Information on charges for getting access to SFs and charges for the use of each rail-related service supplied therein (m).</li> </ul>	The access to Vagonen Zavod - Intercom AD is free of charge. The charges have to be agreed upon with the client.
4.2	Information on discounts*.	<ul style="list-style-type: none"> <li>Information on principles of discount schemes offered to applicants, while respecting commercial confidentiality requirements (n*.</li> </ul>	All loyal customers of the factory are given certain discounts, as well as some legal entities with a concluded contract for rolling stock maintenance.
5. Access Conditions			
5.1	Legal requirements	<ul style="list-style-type: none"> <li>Information stating whether a contract certificates or insurance are necessary.</li> <li>Model access contracts and general terms and conditions (at least in the case of SFs operated and rail-related services provided by operators under the direct or indirect control of a controlling entity) (i)*</li> </ul>	A contract for access to the Vagonen Zavod - Intercom AD is required (verbal or written).
5.2	Technical conditions.	<ul style="list-style-type: none"> <li>Where relevant, description of technical conditions to be satisfied by the rolling stock entering the SF.</li> </ul>	Rolling stock within the gauges specified in UIC 505 is allowed to enter the factory.
5.3	Self-supply of rail-related services*	<ul style="list-style-type: none"> <li>Information about the possibility for self-supply of rail-related services and conditions applying thereto (e)*</li> </ul>	<a href="http://vz-intercom.com">http://vz-intercom.com</a> - link to the website, providing the whole needed information to all railway related services

**The information has not been updated.**

**Information about railway  
service facilities  
of operator  
Port Rail OOD**

Port Rail OOD does not operate any service facilities pursuant to regulation N 2017/2177.

Port Rail OOD, in carrying out its activities, uses service facilities owned by other operators.

Information about types of rail services and prices can be obtained by asking at the following email address: [cs@portrail.bg](mailto:cs@portrail.bg)

**Information about railway  
service facilities of the operator  
SE Port Infrastructure  
SP “Management and Operation of Port Terminals”  
Port terminal Petrol, port of Varna**

This document for a service facility is published at:  
<http://www.bgports.bg/bg/page/112>

**Information about railway  
service facilities of the operator  
SE Port Infrastructure  
SP “Management and Operation of Port Terminals”  
Port terminal Ruse-Zapad, port of Ruse**

This document for a service facility is published at:  
<http://www.bgports.bg/bg/page/112>

**Information about railway  
service facilities of the operator  
SE Port Infrastructure  
SP “Management and Operation of Port Terminals”  
Port terminal “Ferryboat complex-Varna”, port of  
Varna**

This document for a service facility is published at:  
<http://www.bgports.bg/bg/page/112>

**The information has not been updated.**

**Information about railway  
service facilities  
of operator**

**Railway Station - Plovdiv OOD - Central Railway  
Station - the town of Plovdiv**

This document for a service facility is published at:

<http://www.garaplovdiv.bg/wp-content/uploads/2019/05/%D0%9E%D0%91%D0%A9-%D0%9E%D0%91%D0%A0%D0%90%D0%97%D0%95%D0%A6.docx>

**The information has not been updated.**

**Information about railway  
service facilities  
of operator  
BMF Port Burgas EAD**

This document is published at: <https://navbul-portburgas.com/>

**The information has not been updated.**

**Information about railway  
service facilities  
of operator**

**Vagonoremonten Zavod “Han Krum” AD**

	Version control	Version No 01/14.5.2019
	Table of contents	<p>1. GENERAL INFORMATION</p> <p>1.1 Introduction</p> <p>1.2 Service Facility Operator</p> <p>1.3 Period of validity and updating process</p> <p>2. SERVICES</p> <p>2.1 Name of service</p> <p>3. DESCRIPTION OF THE SERVICE FACILITY</p> <p>3.1 List of all installations</p> <p>3.2 Name of installation</p> <p>3.2.1 Location</p> <p>3.2.2 Opening hours</p> <p>3.2.3 Technical characteristics</p> <p>3.2.4 Scheduled changes of the technical characteristics</p> <p>4. CHARGES</p> <p>4.1 Information about charges</p> <p>4.2 Information about discounts</p> <p>5. ACCESS CONDITIONS</p> <p>5.1 Legal requirements</p> <p>5.2 Technical conditions</p> <p>5.3 Self-provision of railway-related services</p> <p>5.4 IT system</p> <p>6. CAPACITY ALLOCATION</p> <p>6.1 Requests for access or services</p> <p>6.2 Answer to the requests</p> <p>6.3 Information about the available capacity and temporary capacity restrictions</p>
<b>1.</b>	<b>GENERAL INFORMATION</b>	
1.1	Introduction	<p>VRZ “Han Krum” AD has prepared this document for a service facilities pursuant to Regulation (EC) No 2017/2177.</p> <p>VRZ “Han Krum” AD is a facility for maintenance of:</p> <ul style="list-style-type: none"> <li>- First-class passenger cars (Amp, Ame, Am)</li> <li>- Second-class passenger cars (Bmz, Byz, By, Bm, Bme, Bmp, Bpb, Bimz, Bmpz, Bmpzh)</li> <li>- Mixed passenger cars (Aby, AB)</li> <li>- Passenger cars for the transport of disabled people and bicycles (Abds, Bbds)</li> <li>- Sleeping cars and couchet cars (WLAB, WL, Bcme)</li> <li>- Restaurant/buffet cars (WRme/BR)</li> <li>- Bistrots (Ark)</li> <li>- Vans (DL)</li> <li>- Platform two-axle and four-axle freight wagons</li> <li>- Saddle freight wagons</li> <li>- Hopper wagon</li> <li>- Grain carriers</li> <li>- Covered two-axle and four-axle freight wagons</li> <li>- Open four-axle freight wagons</li> </ul>

		The company was founded in 1999 and is the legal successor of “Couches/wagons and railway equipment repair factory” - Han Krum station.
1.2	Service Facility operator	VRZ “Han Krum” AD, the village of Han Krum 9863, municipality of Veliki Preslav E-mail: vrzhankrum@mail.bg, Tel.: 05333/2389.
1.3	Validity period and updating process	This document is updated, if needed.
<b>2.</b>	<b>SERVICES</b>	
2.1	Name of service	Current, average and overall maintenance of coaches and freight wagons.
<b>3.</b>	<b>DESCRIPTION OF THE SERVICE FACILITY</b>	
3.1	List of all installations	The service facility consists of one installation and includes industrial tracks of 500 m total length.
3.2	Name of installation	Railway Infrastructure of WMF Han Krum AD
3.2.1	Location	The village of Han Krum, Veliki Preslav municipality, Shumen district, GPS coordinates: 43°12’12" N / 26°53’21" E. The factory communicates with the national rail infrastructure by the means of railways with the respective railway station that services the factory.
3.2.2	Opening hours	Monday - Friday from 8 am to 4:30 pm.
3.2.3	Technical characteristics	2 shunting tracks of 500 m total length. Maintenance ducts for wagon maintenance. Technological areas for different levels of rolling stock maintenance.
3.2.4	Planned changes in technical characteristics	By the date of issuance of this document no changes of the technical characteristics of the facilities are foreseen.
<b>4.</b>	<b>CHARGES</b>	
4.1	Information about charges	Obtaining access to VRZ “Han Krum” AD is free. Charges for the use of services are negotiable with the client.
4.2	Information about the discounts	Information about the discounts may be received upon request.
<b>5.</b>	<b>ACCESS CONDITIONS</b>	
5.1	Legal requirements	A contract is required for access to VRZ “Han Krum” AD.
5.2	Technical conditions	Rolling stock within the gauges specified in UIC505 is allowed to enter the factory.
5.3	Self-supply of rail-related services	The needed information about all rail-related services is provided by the company management.
5.4	IT system	The applicants are not obliged to use IT systems of the operator.
<b>6.</b>	<b>CAPACITY ALLOCATION</b>	
6.1	Requests for access or services	The request for access shall be made in writing. The minimal required content of each request for service of a tolling stock unit is: - user/owner of rail rolling stock; - type and number of rolling stock; - date and place of the last revision; - scope of the requested service.
6.2	Response to the requests	The response to the requests depends on the degree of damage and the type of the respective repair, as well as the time for execution of the individual repair operations.

6.3	Information about the available capacity and temporary capacity restrictions	Information about the available capacity and temporary limitations in the capacity of the service facility is provided by the plant management.
-----	--	---

**The information has not been updated.**

**Information about railway  
service facilities  
of operator**

**Railway - Traction Ltd., Sofia**

Chapter No	Heading	Information about the service facility
	Version control	No previous versions
	Table of contents	1. General information 2. Services 3. Description of the Service Facility 4. Charges 5. Access Conditions 6. Capacity Allocation
<b>1. General information</b>		
1.1	Introduction	Railway - Traction Ltd., Sofia has made this document for a service facility - Hall No 2 at the Locomotive Depot Sofia, Poduyane Region, in compliance with the requirements of Commission Regulation (EC) 2017/2177. Hall No2 is intended for maintenance of railway rolling stock. Railway - Traction Ltd., Sofia, maintains rail rolling stock or its components.
1.2	Service Facility operator	Railway - Traction Ltd., 1517 Sofia, 2, Maychina Slava Str. Tel.: +359 889 60 33 63 E-mail: railway.tractionsofia@gmail.com
1.3	Validity period and updating process	This document is updated, if needed.
<b>2. Services</b>		
2.1	Name of service	Maintenance of the rail rolling stock
<b>3. Description of the Service Facility</b>		
3.1	List of all installations	This SF consists of only one installation.
3.2	Name of the installation	Hall No 2 in the Poduyane region of the Locomotive Depot Sofia.
3.3	Location	Sofia, 2, Maychina Slava Str., in the yard of Poduyane region of Locomotive Depot Sofia. GPS coordinates: 42°41'39.4"N, 23°22'18.0"E Connecting stations Sofia and Poduyane Razpreditelna. The access to the service facility on the railway infrastructure shall be coordinated and provided by BDZ Passengers Sofia.
3.4	Opening hours	Monday to Friday from 9 am to 6 pm without national and official holidays. The rest of the time after prior agreement.
3.5	Technical characteristics	Hall with a length of 50 meters, with three tracks with inspection canals, jacks for lifting the rolling stock and a crane with a lifting capacity of 5 tons.
3.6	Planned changes in technical characteristics	No changes of the technical characteristics are planned.
<b>4. Charges</b>		

4.1	Information about charges	Information on charges for the provision of maintenance services for rolling stock can be obtained upon request in writing (by letter or by e-mail).
4.2	Information about the discounts	Information about the discounts could be provided upon written request (with a letter or via e-mail).
<b>5. Access Conditions</b>		
5.1	Legal requirements	
5.2	Technical conditions	Rail rolling stock complying with the hall length and gauge according to UIC 505 could enter the hall.
5.3	Self-supply of rail-related services	After prior agreement.
5.4	IT system	
<b>6. Capacity Allocation</b>		
6.1	Requests for access or services	A request for access or service is made in writing (by letter or e-mail). The access to the service facility on the railway infrastructure shall be coordinated and provided by BDZ Passengers Sofia. The request must contain information about the rolling stock number, the user and a description of the requested services.
6.2	Response to the requests	An answer is received by five working days after submitting the application. Priority is given to applicants who have concluded a contract with Railway - Traction Ltd.
6.3	Information about the available capacity and temporary capacity restrictions	

**The information has not been updated.**

**Information about railway  
service facilities  
of operator**

**Traktsia JSC, the village of Samuil**



Chapter No	Heading	Implementation guide	Information about the service facility
	Version control		version 01/ 2019.
	Table of contents		1. General information 2. Services 3. Description 4. Charges 5. Access Conditions 6. Capacity Allocation
<b>1. General information</b>			
1.1	Introduction		<ul style="list-style-type: none"> <li>• Traktsia JSC has prepared this document for a service facilities pursuant to Regulation (EC 2017/ 2177 (according to Directive 2012/34, Annex II).</li> <li>• Traktsia JSC is a plant for construction of new freight cars and for technical maintenance of wagons.</li> <li>• This document for service facility was published on 30 May 2019.</li> </ul>
1.2	Service Facility operator		TRAKTSIA JSC The village of Samuil, 7454, The district of Razgrad Tel: +359 8477/2840 Fax: +359 8477/2860 E-mail: info@tractionbg.com WEB: www.tractionbg.com



1.3	Validity period and updating process		This document is updated, if needed
<b>2. Services</b>			
2.1	Name of service		<ul style="list-style-type: none"> <li>• Traktsia JSC could perform current, planned, specific and average maintenance of freight wagons and wagon cisterns.</li> <li>• A detailed description of the services can be found at <a href="http://www.tractionbg.com">www.tractionbg.com</a></li> </ul>
<b>3. Description of the Service Facility</b>			
3.1	List of all installations		<ul style="list-style-type: none"> <li>• This SF consists of only one installation</li> </ul>
3.2	Name of installation		
3.2.1	Location		<p>Traktsia JSC, The village of Samuil, 7454, the district of Razgrad Executive Director Eng. Stefan Gerdev Tel.: 08477/2840</p> <ul style="list-style-type: none"> <li>• The factory communicates with the national rail infrastructure by the means of railways with the respective service railway station of Samuil.</li> </ul>
3.2.2	Opening hours		<ul style="list-style-type: none"> <li>• Working time of the installation</li> <li>• Monday - Friday - 07:45 a.m. - 04:15 p.m.</li> <li>• Saturday - Sunday - weekends</li> <li>• Public holidays - upon prior application and permission issued by Order of the Executive Director of Traktsia JSC;</li> </ul>



3.2.3	Technical characteristics		<input type="checkbox"/> Shunting and marshalling tracks: Tracks - 13 pieces and total length of the tracks 3200 meters. <input type="checkbox"/> Wagon scale 120 tons.
3.2.4	Planned changes in technical characteristics		<ul style="list-style-type: none"> <li>By the date of issuance of present document no changes of the technical characteristics of the facilities are foreseen, including the planned works.</li> </ul>

#### 4. Charges

4.1	Information about charges		<ul style="list-style-type: none"> <li>Information on charges for access to service facilities can be obtained by requesting at e-mail: <a href="mailto:info@tractionbg.com">info@tractionbg.com</a></li> </ul>
4.2	Information about discounts*		<ul style="list-style-type: none"> <li>Information regarding the trade discounts offered by Traktsia JSC can be obtained after an oral or written request by an interested contracting party. The provision of information is carried out in compliance with the requirements of trade secrets.</li> </ul>

#### 5. Access Conditions

5.1	Legal requirements		<ul style="list-style-type: none"> <li>According to prices and services of Traktsia JSC.</li> <li>It is necessary to conclude a contract, which assigns the performance of the specific service.</li> </ul>
5.2	Technical conditions		<ul style="list-style-type: none"> <li>Rolling stock corresponding to gauge G1.</li> <li>Single or group wagons, but not more than 10 wagons.</li> </ul>



5.3	Self-supply of rail-related services*		<ul style="list-style-type: none"> <li>You can get all the necessary information about all provided services after a written request to e-mail: <a href="mailto:info@tractionbg.com">info@tractionbg.com</a></li> </ul>
5.4	IT system		<ul style="list-style-type: none"> <li>No requirements for work with IT systems of the operator.</li> <li>The rules on personal data protection and trade secrecy apply.</li> </ul>
<b>6. Capacity Allocation</b>			
6.1	Requests for access or services*		<ul style="list-style-type: none"> <li>Information about procedures for requesting access to the SF or services supplied in the SF, or both, including deadlines for submitting requests, and time limits for handling those requests to be sent to e-mail: <a href="mailto:info@tractionbg.com">info@tractionbg.com</a>.</li> <li>Information about the minimum content and format of a request for access to the SF and rail-related services or a template for such a request - at email: <a href="mailto:info@tractionbg.com">info@tractionbg.com</a>.</li> </ul>
6.2	Response to the requests		<ul style="list-style-type: none"> <li>E-mail: <a href="mailto:info@tractionbg.com">info@tractionbg.com</a></li> </ul>
6.3	Information about the available capacity and temporary capacity restrictions		<ul style="list-style-type: none"> <li>Information about changes in the technical characteristics and temporary limitations in the capacity of the service facility, which could have a serious impact on the operation of the service facility, including planned activities upon request to the e-mail address of the company <a href="mailto:info@tractionbg.com">info@tractionbg.com</a>.</li> </ul>

**Information about railway  
service facilities  
of operator**

**Metalimpex 2003 EOOD**

**Common Template for Service  
Facilities**

Chapter No	Heading	Implementation guide
	Table of contents	1. General information 2. Services 3. Description 4. Charges 5. Access Conditions 6. Capacity Allocation
1.1	Introduction	<p>Metalimpex 2003 EOOD prepared this document for a service facility in accordance with the requirements of Implementing Regulation (EC) No 2017/2177. Intermodal Terminal Stara Zagora is a freight terminal as defined in Directive No 2012/34, Annex II). Metalimpex 2003 EOOD is a company managing Intermodal Terminal Stara Zagora. On the territory of the terminal are offered services for loading, unloading, reloading and storage of containers 20-45 FT, bulk materials, pallet shipments, metals and “big bag” packaging. This service facility document is published at <a href="http://Home(intermodal-szag.bg)">Home (intermodal-szag.bg)</a></p>
1.2	Service Facility operator	<p>Metalimpex 2003 EOOD            Stara Zagora            15 Zhelezni Vrata Str.  <a href="mailto:Metalimpex.sz@gmail.com">Metalimpex.sz@gmail.com</a>            +359,898,651,476            +359,898,944,082</p>

1.3	Validity period and updating process	This document is updated, if needed
2.X	Name of service	Detailed description of the services is published on <a href="http://intermodal-szag.bg">Services (intermodal-szag.bg)</a>
3.1	List of all installations	This SF consists of only one installation
3.X	Name of installation X	Intermodal Terminal Stara Zagora
3.X. 1	Location	Stara Zagora, Southern Industrial Zone, Metalimpex 2003 EOOD <a href="http://intermodal-szag.bg">Contacts (intermodal-szag.bg)</a>
3.X. 2	Opening hours	Opening hours: Monday - 08.00 - 17.00 Tuesday - 08.00 to 17.00 Wednesday - 08.00 to 17.00 Thursday - 08.00 to 17.00 Friday - 08.00 to 17.00 Saturday - a day off Sunday - a day off Holiday period and public holidays - on request

3.X. 3	Technical characteristics	<p>The terminal consists of:</p> <ul style="list-style-type: none"> <li>• Two rail gantry cranes 35t and 20t.</li> <li>• Forklifts 5t, 3t with fork length 2.5m -2pcs</li> <li>• Tractors – 3 pcs</li> <li>• Cereal auger <math>\phi</math> 300 mm - 1 pc</li> <li>• Electromagnet for metals 3 points - 1 pc</li> <li>• Grapple for bulk materials - 2 pcs</li> <li>• Sprayer for pipes 35t - 1 pc</li> <li>• Sprayer for rolls, big bag, steel structures</li> <li>• 7 tracks of length up to 360 m</li> <li>• 140 decares of concrete platform</li> <li>• Covered warehouse 2000 sq.m.</li> <li>• Covered area 2500 sq.m.</li> <li>• Areas with the possibility of service up to 1300 TEU / month</li> <li>• We serve containers from 20FT - 45 FT</li> <li>• Swap bodies</li> <li>• ISU SYSTEM semitrailers</li> <li>• Intermodal transport units - with a concluded contract</li> <li>• We serve wagons type: Tamns, Res, Ealos, Eaos, Hopper Uagpps, Habins, Rils, Sgns</li> <li>• Ramp for Ro La trains.</li> </ul>
3.X. 4	Planned changes in technical characteristics	<p>A process of discussion for reconstruction and modernization of Intermodal Terminal Stara Zagora is currently underway.</p>

4.1	Information about charges	<ul style="list-style-type: none"> <li>Information about charges for getting access to SFs and charges for the use of each rail-related service supplied therein can be seen at <a href="http://Prices(intermodal-szag.bg)">Prices (intermodal-szag.bg)</a></li> </ul>
5.1	Legal requirements	According to prices and services Metalimpex 2003 EOOD
5.2	Technical conditions	<ul style="list-style-type: none"> <li>There are no restrictions on the weight and size of the rolling stock</li> <li>Access only with diesel traction</li> </ul>
5.3	Self-supply of rail-related services*	<ul style="list-style-type: none"> <li>All necessary information for all provided services, on <a href="http://www.intermodal-szag.bg/en/services">www.intermodal-szag.bg/en/services</a></li> </ul>
5.4	IT system	<ul style="list-style-type: none"> <li>No requirements for work with IT systems of the operator. Rules on the protection of sensible and commercial data are in the process of updating</li> </ul>
6.1	Requests for access or services*	<ul style="list-style-type: none"> <li><input type="checkbox"/> Information about procedures for requesting access to the SF or services supplied in the SF, or both, including deadlines for submitting requests, and time limits for handling at: metalimpex.sz@gmail.com</li> <li><input type="checkbox"/> Information about the minimum content and format of a request for access to the SF and rail-related services or a template for such a request at: metalimpex.sz@gmail.com</li> </ul>
6.2	Response to the requests	Metalimpex.sz@gmail.com
6.3	Information about the available capacity and temporary capacity restrictions	<ul style="list-style-type: none"> <li>Information on changes in the technical characteristics and temporary limitations in the capacity of the service facility, which could have a serious impact on the operation of the service facility, including planned activities upon request to the request of metalimpex.sz@gmail.com and on <a href="http://www.intermodal-szag.bg">www.intermodal-szag.bg</a></li> </ul>

**Information about railway  
service facilities  
of operator**

**DB Cargo Bulgaria EOOD**

Common Template for Service Facilities

Chapter No	Heading	Information about the service facility
	Version control	Publication of the document Version No.: 01/11.10.2021
	TABLE OF CONTENTS	
1.1	Introduction	DB Cargo Bulgaria EOOD operates a maintenance facility in Karlovo and prepares this document with a description of the service facility in accordance with the requirements of EC Implementing Regulation 2017/2177. The document is published in the Reference Document of the National Railway Infrastructure Company, available at <a href="https://www.rail-infra.bg/bg/78">https://www.rail-infra.bg/bg/78</a> .
1.2	Service Facility	DB Cargo Bulgaria EOOD 2, Teofan Raynov Street 4300 Karlovo Bulgaria

	operator	Telephone: +359 33137100 Email: Office.bg@deutschebahn.com <a href="http://bg.dbcargo.com">http://bg.dbcargo.com</a>
1.3	Validity period and updating process	This document is updated in case of changes that require a change in its content.
2.X	Name of service	Maintenance of freight wagons and locomotives
3.1	List of all installations	This service facility consists of installations with the technical characteristics defined in paragraph 3.2.3 below.

3.X	Name of installation X	DB Cargo Bulgaria EOOD - Karlovo repair shop
3.X.1	Location	2, Teofan Raynov Street 4300 Karlovo Bulgaria GPS coordinates: 42°37,885 N / 24°47,639" E. The plant is connected to the national railway network by railway connection to Karlovo station
3.X.2	Opening hours	<ul style="list-style-type: none"> <li>• Monday-Friday from 8.00 to 16.30 with the exception of national holidays in the Republic of Bulgaria</li> </ul>
3.X.3	Technical characteristics	<ul style="list-style-type: none"> <li>○ Rails with a total length of approx. 3500 m and a railway scale for weighing</li> <li>○ Halls for technical inspection, maintenance and repair of railway rolling stock - wagons and locomotives</li> <li>○ Equipment for such activities as maintenance ducts, jacks, cranes, scales, washing equipment, lathe and welding machines, monitoring and testing devices</li> </ul>

3.X.4	Planned changes in technical characteristics	<ul style="list-style-type: none"><li>• In the near future no technical changes of the technical characteristics are foreseen. In such a case, this information will be updated in accordance with point 1.3 above.</li></ul>

4.1	Information about charges	The prices of the requested services are determined in the same way for each candidate depending on the type of service, its duration and the necessary resources for its implementation.
4.2	Information about discounts *	Not provided
5.1	<i>Legal requirements</i>	A written contract with DB Cargo Bulgaria EOOD is required for access to the provided services.
5.2	<i>Technical conditions</i>	Only rolling stock may be serviced at the repair depot within the guidelines specified in UIC505.
5.3	Self-supply of rail-related services*	Self-supply of rail-related services is not possible.
5.4	IT system	Not used

6.1	Requests for access or services*	The request for maintenance services shall be submitted in writing to the address or the e-mail address specified in item 1.2 and shall contain at least information on the number and type of rolling stock, the user / owner of the rolling stock and a description of the requested actions.
6.2	Response to the requests	DB Cargo Bulgaria EOOD processes requests for services without undue delay. The company assesses the technical compatibility of the rolling stock with the facility and informs about the result of this assessment. The response to the request shall be given no later than 10 days after the compatibility assessment, taking into account the characteristics of the application, the available resources of DB Cargo Bulgaria EOOD and the capacity of the service facility. DB Cargo Bulgaria EOOD tries to respond to all requests for services as much as possible. Requests are considered in the chronological order in which they are received.
6.3	Information about the available capacity and temporary capacity restrictions	DB Cargo Bulgaria EOOD will immediately notify the applicants of temporary capacity restrictions in the service facility.